

Appendix II. Five-year average rates of confirmed human-caused mortality and serious injury (SI) involving baleen whale stocks along the Gulf of Mexico Coast, US East Coast, and Atlantic Canadian Provinces, (2007-2011) (prorated number of events attributed to entanglements or vessel collisions by year in parentheses).

Stock	Mean Annual Mortality	Entanglements			Vessel Collisions		
		Annual rate (US/Canadian/Unassigned)	Confirmed mortalities (2007, 2008, 2009, 2010, 2011)	Confirmed SI (2007, 2008, 2009, 2010, 2011)	Annual rate (US/Canadian/Unassigned)	Confirmed mortalities (2007, 2008, 2009, 2010, 2011)	Confirmed SI (2007, 2008, 2009, 2010, 2011)
Western North Atlantic right whale (<i>Eubalaena glacialis</i>)	4.05	3.25 (0.2, 0, 3.05)	(1, 0, 0, 2, 1)	(0, 1, 3.75, 2, 5.5)	0.8 (0.6, 0, 0.2)	(0, 0, 0, 1, 1)	(0, 0, 0, 0, 2)
Gulf of Maine humpback whale (<i>Megaptera novaeangliae</i>)	11.95	9.95 (2.6, 0.55, 6.80)	(1, 2, 2, 3, 0)	(4.25, 8.5, 6.75, 9.25, 8.5)	2 (2, 0, 0)	(3, 1, 0, 3, 2)	(0, 0, 0, 0, 1)
Western North Atlantic fin whale (<i>Balaenoptera physalus</i>)	3.7	2.3 (0.4, 0.6, 1.3)	(2, 0, 0, 0, 3)	(2.5, 0, 2.25, 0, 1)	1.4 (1.4, 0, 0)	(2, 1, 1, 2, 1)	(0, 0, 0, 0, 0)
Western North Atlantic sei whale (<i>B. borealis</i>)	1.0	0.4 (0, 0.2, 0.2)	(0, 1, 0, 0, 0)	(0, 1, 0, 0, 0)	0.6 (0.6, 0, 0)	(1, 0, 1, 0, 1)	(0, 0, 0, 0, 0)
Canadian East Coast minke whale (<i>B. acutorostrata</i>)	6.05	5.05 (1.2, 1.75, 2.1)	(1, 4, 0, 0, 4)	(3.25, 4.5, 3.5, 1, 3)	1 (1, 0, 0)	(0, 0, 1, 1, 3)	(0, 0, 0, 0, 0)

